

**PAINT MANUFACTURERS SINCE 1927** 

## Product Catalogue



Due to limitations with the printing process, colour swatches and images are for Warnings about colours, rights of use and legal aspects. inspiration purposes only. The colour swatches do not exactly match the paint This catalogue shows a selection of JUNO products. The breadth and depth of colour in the can. Colour chips in product colour cards will be much more accurate, the range of products, specifications, names, packaging and codes can vary but slight variations between batches of paint may occur. depending on markets. For your safety, ask for the technical and safety data sheets for updated information. Where more than one tin of paint is required, check that batch numbers are identical, and if not, intermix before use. Ask the Commercial Department for more information about products not included in the catalogue and customisation possibilities. Please ensure a tester is used on the actual surface to be painted before decoration. This catalogue and the images and information herein is the property of JUNO and may not be copied or reproduced without the express authorisation of JUNO.

Unauthorised reproduction is protected by law. Any consultation and authorisation

to use this catalogue must be sent to JUNO (export@juno.es).



## CONTENTS

JUNO PAINTS	4 - 5		
EXTERIOR		WOOD	
Exterior collection	7	Water-based	30
High Build Masonry coatings	9	Synthetic	3
Elastomeric waterproofing	10		
Specialty Exterior Products	11	SUNDRIES	
Exterior sealers & primers	12	Fillers & Caulk	33
Water repellent sealer	12	Colourants, Paint Stripper, additives, etc.	34
		Thinners & Cleaners	35
INTERIOR PAINTS		Colour charts & Fan Decks	35
Interior emulsions	14		
Trade emulsions ideal for spraying	15	SUPPLEMENTARY PRODUCTS	
Specialty Interior Products	15	Special exterior coatings	35
Certified washable paints	16	Special interior coatings	38
Hygienic paint	16	Enamels	39
Decorative Tinting Bases	17	Sealers and primers	39
Coloured emulsions	17	Thinners	40
Sealers	18	Varnish	40
Stain blocks	18	Tinting System	40
FLOOR AND SPORTS FACILITY COAT	ΓINGS	MARKETED PRODUCTS	
One-pack floor coatings	20	Intumescent paints	42
Two-pack floor coatings	20	Liquid polyurethane membrane	42
Swimming pool paints	21		
Line marking for grass and turf	21		
TRIM PAINTS			
Solvent-based enamels	24		
Water-based enamels	26		
Decorative & Industrial Tintometric Syst	em 27		
Adhesion and anti-corrosive primers	28		
Undercoats / Sealers	28		



#### **PAINT MANUFACTURERS SINCE 1927**

### Solid and reliable source for your paint needs

- > Producing paint for more than 90 years. 2 national manufacturing sites for decorative and industrial paints and coatings.
- > International distributors throughout several countries, as well as national coverage with more than 65 self-owned stores in Spain.

## Personalized solutions

- > For trade customers: Decorative and industrial paint systems, tools, sundries and application tools for your work.
- > For the consumer: Interior and exterior decorative coatings, trim paint, floor paint etc.
- > For architects, developers, quantity surveyors, etc.: Free technical advice, CPD courses, Prescriptions, DOP's, Method Statements and Certificationsall thanks to JUNO's Prescription and Projects department.





#### **Pioneers**

- > First paint manufacturer to obtain the EPD (Environmental Product Declaration) for its entire interior, exterior, enamel, flooring and varnish product range.
- > The EPD provides quantitative information on the environmental impacts that a product has throughout its life cycle, and is a requisite for qualifying building certifications such as BREEAM and LEED.







#### Certified quality

- > Compliance with ISO 9001 standards for production quality management system and ISO 14001 for environmental management system.
- > Products certified by third party national and international laboratories.






#### **Innovation: JUNO Industrial** anti-corrosive coating systems

> In 2020 new protective anti-corrosion paint systems were developed meeting ISO 12944-6:2018 standards.

		Certified system	Durability	Metal preparation	Primer Coat	Coats x microns	Intermediate Coat	Coats x microns	Top Coats	Coats x microns	Total microns
		C3 HIGH Alkyd	15-25 years	Abrasive blast cleaning to SA 2½ - 30 μ	Multi-support Primer (Prod. Code 270)	90 µ	Dynaline (Prod.Code 02800) or Junorapid* (Prod. Code 8888-)	90 µ		3)	180 μ
NEW	ECH.	C3 HIGH Polyurethane	15-25 years	Abrasive blast cleaning to SA 2½ - 30 µ	Poxenamel 2/C (Prod. Code 0848-)	140 μ	51	2		(5)	140 µ
	HIGH- TECH. SYSTEM	C4 HIGH Polyurethane	15-25 years	Abrasive blast cleaning to SA 2½ - 30 µ	High Build Poxenamel 2/C (Prod. Code 0843-)	140 µ	2		*	2	140 µ
		C4 HIGH Epoxy- Polyurethane	15-25 years	Abrasive blast cleaning to SA 2½ - 30 µ	Dynapok HBAC Aluminium 2/C (Prod. Code 07765)	120 µ	Poxemyc UV 2/C (Prod. Code 088-) or Junoretano* (Prod. Code 8888-)	80 µ	٠	1911	200 µ
		C4 HIGH Epoxy- Polyurethane	15-25 years	Abrasive blast cleaning to SA 2½ - 30 µ	Zinc-rich epoxy primer (Prod. Code 22805)	70 µ	Poxemyc UV 2/C (Prod. Code 088-) or Junoretano* (Prod. Code 8888-)	50 µ	*	v.	120 µ
		C5 HIGH Epoxy- Polyurethane	15-25 years	Abrasive blast cleaning to SA 2½ - 30 μ	Zinc-rich epoxy primer (Prod. Code 22805)	70 µ	Poxemyc UV 2/C (Prod.Code 088-) or Junoretano* (Prod. Code 8888-)	100 μ		¥	170 μ
		C5 HIGH Epoxy- Polyurethane	15-25 years	Abrasive blast cleaning to SA 2½ - 30 µ	Epoxy Zinc 2/C Primer (Prod. Code 22805)	40 μ	Dynapok 2/C Epoxy HBAC Aluminium 2/C (Prod. Code 07765)	120 µ	Poxemyc UV 2/C (Prod. Code 088-) or Junoretano* (Prod. Code 8888-)	80 µ	240 µ
	H.T. system	C5 HIGH Polyurethane	15-25 years	Abrasive blast cleaning to SA 2½ - 30 µ	Poxenamel HB 2/C (Prod. Code 0843-)	140 µ	*:	*		201	140 μ
		C5 HIGH Epoxy- Polyurethane	15-25 years	Abrasive blast cleaning to SA 2½-30 µ	Dynapok 2/C Primer (Prod. Code 22722)	50 µ	Dynapok HBAC (Prod. Code 07765)	125 µ	Poxemyc UV 2/C (Prod. Code 088-) or Junoretano* (Prod. Code 8888-)	80 µ	255 μ

<sup>\*</sup>For batch sizes below 100 Litres - supplied as JUNORETANO 2/C or tinting system products.



New high technology systems: The standard allows certification to be obtained through new technology systems that give the same result with lower micron ratings, provided they are met and validated according to ISO 12944-6:2018.




### **EXTERIOR**

- ¬ Exterior collection
- ¬ High Build Masonry coatings
- ¬ Elastomeric waterproofing
- **¬ Specialty Exterior Products**
- ¬ Exterior sealers & primers
- $\neg$  Water repellent sealer



#### **Exterior collection**









#### **High Build Masonry coatings**

#### **SUPER JUNOREV**

Matt finish / Smooth



Premium high build masonry coating. With antimould protection.

Formulated with the highest quality acrylic copolymers in aqueous dispersion providing excellent outdoor performance. Super Junorev is microporous and breathable allowing moisture and air to be released.

For exterior and interior use.

Cleaning and dilution with water.

Recommended for protecting and decorating mineral surfaces, including renders and pebbledash, in need of protection from rain, humidity, micro-organisms and carbonation. Super Junorev actively resists peeling and

APPROVAL CERTIFICATES: EPD (Certified with Environmental Product Declaration) - CE: Direct pull-off adhesion - Permeability to rain water and water vapour - Anti-carbonation - Fire retardant



#### **JUNOREV**

Matt finish / Smooth



Matt finish / Textured



#### 100% acrylic high build masonry coating. With antimould protection.


Formulated with acrylic resins in aqueous dispersion with excellent mechanical properties. Junorev is both microporous and breathable allowing moisture and air to be released.

For exterior and interior use.

Cleaning and dilution with water.

Recommended for protecting and decorating mineral surfaces, including renders and pebbledash, in need of protection from rain, humidity, micro-organisms and carbonation. Junorev actively resists peeling and flaking.

APPROVAL CERTIFICATES: EPD (Certified with Environmental Product Declaration) - CE (smooth finish): Direct pull-off adhesion - Anti-carbonation - Light Stability - Permeability to rain water and water vapour - Fire retardant to B-s1,d0 standard.



#### **LUNA** Matt finish

JUNO Facades Colour CARD

JUNOREV Colour CARD



Cleaning and dilution with water.

permeable to water vapour, allowing moisture and air to be released. For exterior and interior use.

Formulated with styrene-acrylic resins in aqueous

dispersion with excellent mechanical properties and

Recommended for the protection and decoration of mineral surfaces (cement, concrete, pebbledash or renders, etc.). Ideal for correcting finishing faults and touch-ups on surfaces, providing a high opacity decorative finish.


APPROVAL CERTIFICATES: EPD (Certified with Environmental Product Declaration) - Fire retardant to B-s1,d0 standard.



B-s1.d0 White base/P (67.500) Deep base/TR (67.501)




#### Elastomeric waterproofing





#### **Specialty Exterior Products**

#### Silicate coating



#### Pliolite coating



#### Self-cleaning, breathable Pliolite® paint.

Junolite is a premium quality, solvent-based masonry paint formulated for exterior use. Formulated with Pliolite® resins and organic solvents. Offers protection against alkalis and salt efflorescence.

For exterior use.

Cleaning and dilution with chlorinated rubber solvent

D-40 (Code 50.000).

Junolite provides a long lasting coating with good adhesion and resistance to moisture and alkali attack on exterior surfaces such as cement rendering, rough cast, brick and concrete.

APPROVAL CERTIFICATES: EPD (Certified with Environmental Product Declaration).

	'EPD"
THE HOSPINGSON	A ERCY EVETEN

15 I

White base/P (62.900)



#### **Exterior sealers & primers**

## **HIDROCRIL** Semi-matt finish

#### Water-based acrylic sealer concentrate providing excellent penetration and adhesion.

For interior and exterior use. Cleaning and dilution with water. Mixing ratio 4:1 (Water / Hidrocril). Hidrocril evens out surface absorption. Recommended as a sealer for surfaces that have problems with adhesion (pearlite, concrete, plaster, cement, asbestos cement, brick), or require binding (tempera, lime, whitewash or unconsolidated paints).

	20 l	41	750 ml		
Clear (81.006)	•	•	•		
Solvent-based acrylic sealer concentrate.	Akril-80 evens out surface absorption. Recommen				

### **AKRIL - 80** Semi-matt finish

For interior and exterior use. Cleaning and dilution with white spirit D-16 (Code 50.012).

Mixing ratio 1:1 (D-16 / Akril-80).

for sealing surfaces and strengthening damaged or absorbent surfaces (plaster, stone, cement, concrete, old paint, etc.).

	15 I	41	750 ml
Clear (42.115)	•	•	•

#### **PRIMERLITE** Matt finish



#### Solvent-based primer based on Pliolite resins.

For interior and exterior use.

Cleaning and dilution with chlorinated rubber solvent D-40 (Code 50.000).

Recommended as a primer for cement and concrete surfaces where a permeable system of the highest quality is required. Its resistance to alkalis and high penetration power stand out.

Primerlite is the primer of choice for JUNO's Exterior paint systems, and is often prescribed for use with Novokril, Junokril, Bikril etc.

	15 l	4 I
White (21.702)	•	•

#### Water repellent sealer



#### Solvent-based protection for porous mineral surfaces.

Formulated with polysiloxane compounds as a hydrophobic impregnation to reduce the absorption of rainwater. Allows water to bead on top of the substrate. For exterior use.

Product ready to use, do not dilute.

Cleaning with white spirit D-16 (Code 50.012).

Recommended for improving protection against rain on vertical surfaces. Maintains breathability on non-vitrified brick, sandstone, natural stone, concrete and masonry, etc. Forms a long-lasting water-repellent barrier that protects the surface from the elements and won't crack or peel with time. Does not alter the appearance of the treated surface.

	20 l	41	750 ml
Clear (68.104)	•	•	•



## INTERIOR PAINTS

- ¬ Interior emulsions
- $\neg$  Trade emulsions ideal for spraying
- **¬ Specialty Interior Products**
- ¬ Certified washable paints
- ¬ Hygienic paint
- ¬ Decorative Tinting Bases
- **¬ Coloured emulsions**
- **¬ Sealers**
- ¬ Stain blocks



#### Interior emulsions

#### **B-12**

Semi-matt finish



Premium water-based lustre paint with excellent levelling, washability and a silky touch. With antimould protection.

Premium vinyl copolymer-based paint with broad spectrum of anti-fungal and mould protection. Suitable for all interior walls and ceilings.

Cleaning and dilution with water.

Recommended for decorating plaster, cement or masonry surfaces that require mould protection. Specified and used in high-end decoration jobs for maximum finish and protection. Also recommended for kitchens and bathrooms, or for high-traffic areas such as hallways. Highly wet-rub resistant.

APPROVAL CERTIFICATES: EPD (Certified with Environmental Product Declaration) - Fire retardant to B-s1,d0 standard.

15 I

EPD'

White / Semi-matt finish (72.010)

B-s1.d0

750 ml

**B-10** 

Semi-matt finish



Durable water-based paint with a semi-matt lustre finish. With anti-mould protection and non-drip/ splatter formulation.

B-10 is a high quality vinyl copolymer paint offering excellent coverage, opacity and ease of application. Suitable for all interior walls and ceilings.

Cleaning and dilution with water.

Ideal for high-quality interior decoration of walls and resistant, perfect for kitchens, children's rooms, hallways,

B-10 splashes to a minimum level when applied making it ideal for decorating lived-in spaces.

APPROVAL CERTIFICATES: EPD (Certified with Environmental Product Declaration) - Fire retardant to B-s1,d0 standard.

15 I

B-s1,d0

41 750 ml

41

White / Semi-matt finish (72.000)

#### **B-7 ECOLOGICAL**

Matt finish



#### Odourless eco-certified interior emulsion.

High quality certified ecological emulsion paint. Formulated with vinyl copolymers, free from solvents, volatile organic compounds (VOCs) and alkyl phenol oxyethylene derivatives.

B-7 is odourless and free from harmful substances. Suitable for all interior walls and ceilings. Cleaning and dilution with water.

Ideal for decorating walls and ceilings where a quality matt silky smooth finish is required. Recommended for decorating hospitals, nurseries, baby rooms or spaces for hypersensitive people, thanks to its zero emissions of volatile organic components. Permits immediate use of spaces after application. B-7 is highly wet-rub resistant.

APPROVAL CERTIFICATES: EPD (Certified with Environmental Product Declaration) - TÜV mark pollutant tested - Eco-label (European Eco-label) - Fire retardant to B-s1,d0 standard -Certified Class 2 for Washability and Opacity as per standard UNE-EN 13300-2002.











CLASS 2

White / Matt finish (72.195)

**B-5** Matt finish



Versatile quality interior matt emulsion. Waterbased paint with great hiding power and coverage. With anti-mould protection and non-drip/splatter formulation.

Formulated with acrylic copolymers with anti-fungicidal and anti-mould agents. Suitable for all interior walls and

Cleaning and dilution with water.

B-5 dries to a beautiful, smooth matt finish that is fully wipeable and formulated to help conceal surface imperfections. Also ideal for protection against the formation of fungi and mould in kitchens and bathrooms. B-5 is also fire retardant. Wet-rub resistant.

APPROVAL CERTIFICATES: EPD (Certified with Environmental Product Declaration) - Fire retardant to B-s1,d0 standard -Certified Class 2 for Washability and Class 1 for Opacity as per standard UNE-EN 13300-2002.

B-s1.d0 CLASS 2

CLASS 1

White / Matt finish (73.001)

15 I 10 I 750 ml

**B-4 NATURE** 

Matt finish



#### Odourless water-based eco-paint with A+ certification for maximum indoor air quality.

Formulated with vinyl copolymers. Catalogued with A+ certification, the maximum classification for indoor air quality, guaranteeing the lowest possible emission levels. B-4 is an ecological, solvent-free, odourless white emulsion offering a smooth matt finish that is fully wipeable and formulated to help conceal surface imperfections. Suitable for all interior walls and ceilings. Cleaning and dilution with water.

Recommended for decorating hospitals, nurseries, baby rooms or indoor spaces for hypersensitive people. Allows immediate use of painted spaces.

APPROVAL CERTIFICATES: EPD (Certified with Environmental Product Declaration) - A<sup>+</sup> Certification for low emissions and maximum indoor quality - Fire retardant to B-s1,d0 standard.



B-s1,d0

15 I

White / Matt finish (73.271)

'EPD



#### Trade emulsions ideal for spraying

## **J-28** Extra-matt finish

Water-based emulsion paint with an extra-matt finish, special for coating projected plaster and plasterboards. With anti-mould protection.

Formulated with acrylic copolymers in aqueous dispersion, titanium dioxide and extenders. Suitable for all interior walls and ceilings.

Cleaning and dilution with water.

Recommended for general use in construction and decoration, especially to hide fillers and joints on applied plaster, plasterboard or gypsum. J-28 is excellent for spraying large surface areas and touches up very well. Resistant to wet rubbing and scuffing.

APPROVAL CERTIFICATES: EPD (Certified with Environmental Product Declaration) - Fire retardant to B-s1,d0 standard -Certified Class 2 for Washability and Opacity as per standard UNE-EN 13300-2002.

THE POTOTO AND THE PO	B-s1,d0	CLASS 2	OPACITY CLASS 2	
	15 I		41	
White / Matt finish (73.168)	•		•	

## J-25 Matt finish

High opacity interior emulsion paint with superb coverage and anti-mould protection.

Formulated with acrylic copolymers in aqueous dispersion, titanium dioxide and extenders. Excellent bright opaque white finish at excellent value for money.

Suitable for all interior walls and ceilings.

Cleaning and dilution with water.

Recommended for general use in construction and decoration, especially for walls and ceilings where a matt finish is required.

Resistant to wet rubbing and scuffing. J-25 is excellent for spraying and touches up very well.

APPROVAL CERTIFICATES: EPD (Certified with Environmental Product Declaration) - Fire retardant to B-s1,d0 standard (white only) - Certified Class 2 for Washability and Class 1 for Opacity as per standard UNE-EN 13300-2002.

THE POWER POWER DEPTH AND THE POWER	(FRE RETARDANT B-s1,d0 WASHA	BILITY OPACITY CLASS 1
0	15 l	41
White / Matt finish (73.150)	•	•
Black / Matt finish* (73.173)	•	•

#### **Specialty Interior Products**



**CASTOR PICAR** 

#### Textured emulsion.

Formulated with acrylic copolymers of great strength and adhesion.

For indoor use.

Cleaning and dilution with water.

Recommended for hiding damage to surfaces in staircases, public premises, offices, hallways, rooms, etc.

APPROVAL CERTIFICATES: EPD (Certified with Environmental Product Declaration) - Fire retardant to B-s1,d0 standard.

15 I



White / Matt finish (74.304)



#### A water-based, spray applied, non-bridging ceiling coating.

For indoor use.

Cleaning and dilution with water.

Ofitech is specifically formulated for the onsite spray painting and refurbishment of all types of acoustic suspended ceilings. The coating is quick drying and retains the acoustic qualities of the original tiles, providing a non-bridging finish to the existing ceiling tiles and grid. Ideal for application in occupied offices and trading retail stores as areas can be re-occupied immediately upon completion.

APPROVAL CERTIFICATES: EPD (Certified with Environmental Product Declaration).

THE POST AND ADDRESS OF THE POST AND ADDRESS OF THE POST ADDRESS O	15 l	41
White (74.403)	•	•



#### Certified washable paints



Matt water-based emulsion paint with AENOR certification for washability. With anti-mould protection.

Based on acrylic copolymers in aqueous dispersion. Resistant to wet rubbing, breathable, with excellent hiding power and maximum performance.

For indoor use.

Cleaning and dilution with water.

EPD'

Recommended for general use in construction and decoration on typical surfaces such as plaster, plasterboard, gypsum, concrete, cement, etc. Ideal for spraying. Recommended for public and private projects where finishes with guaranteed washability and antimould protection is required. Ideal for high traffic and frequently used public areas, such as schools, hospitals, kindergardens, prisons, etc.

APPROVAL CERTIFICATES: EPD (Certified with Environmental Product Declaration) - AENOR Certified for washability - Fire retardant to B-s1,d0 standard.

B-s1,d0

750 ml

White / Matt finish (73.040)

#### **CASTOR-N** Matt finish



Matt water-based emulsion paint with AENOR certification for washability. With anti-mould protection.

Based on acrylic copolymers in aqueous dispersion. For indoor use.

Cleaning and dilution with water.

EPD

Recommended for general use in construction and decorating on plaster, plasterboard, concrete, cement surfaces, etc. Ideal for spraying.

Great washability, with high hiding power and great performance. Required in public and private projects with a comprehensive system of certified building specifications.

APPROVAL CERTIFICATES: EPD (Certified with Environmental Product Declaration) - AENOR - Fire retardant to B-s1,d0 standard.

B-s1,d0

15 I

41

White / Matt finish (73.113)

Hygienic paint



Hygienic water-based and washable emulsion paint with anti-bacterial and anti-microbial properties. With anti-mould protection.

Based on acrylic copolymers in aqueous dispersion. Prevents bacterial formation and proliferation thanks to its silver-ion formulation.

Cleaning and dilution with water.

Recommended for schools, nurseries, hospitals, laboratories, health centers, public institutions and home decoration. Maximum performance, excellent hiding power and matt white finish. Specified and used in public and private projects where certified specifications and qualities are required.

APPROVAL CERTIFICATES: Fire retardant to B-s1,d0 standard - Anti-bacterial certified.

B-s1.d0

15 I

White / Matt finish (73.289)

CERTIFIED WASHABLE paints

Paint specified for public works, public and private institutions, schools, hospitals, universities, prisons, etc.

- Certified washability
- Great performance
- Excellent hiding power





#### **Decorative Tinting Bases**



High quality interior emulsion for tinting system with excellent washability and class leading coverage and opacity. With anti-mould protection and non-drip/splatter formulation.

Formulated with acrylic copolymers in aqueous dispersion.

For indoor use.

Cleaning and dilution with water.

Low odour emulsion giving a tough finish on surfaces of blockwork/brickwork, cement render, concrete, plaster, plasterboards, gypsum, wallboards, etc. Ideal for designer home decoration, hotels, hospitals, public buildings, etc.

Available in a market leading number of colours incl. 300 exclusive JUNO Combina design colours.


APPROVAL CERTIFICATES: EPD (Certified with Environmental Product Declaration) - A+ Certified - Fire retardant to B-s1,d0 standard - Meets health related evaluation procedure for emissions of volatile organic compounds AgBB as per German evaluation standards - Certified Class 1 for Washabiility and Class 2 for Opacity as per UNE-EN 13300:2002.

EPD <sup>®</sup>		FRE RETARDA B-s1,d	AgBB WASI	HABILITY OPACITY CLASS 2
Matt finish	12 I	41	21	750 ml
White base/P (88.750)	•	•	•	•
Medium base/D (88.751)	•	•	•	•
Deep base/TR (88.752)	•	•	•	•
Yellow base/GL*(88.753) Red base/RD*(88.754)	•	•	•	•





#### **Coloured emulsions**



Quality coloured emulsions for walls and ceilings. With anti-mould protection.


JUNODECO packaging comes in a rectangular shape and has a built-in grid tray for paint rollers allowing for an easy dip-and-go application.

Thanks to its quick drying application and great opacity, JUNODECO is recommended for decorating any wall or ceiling space where a quality matt finish is required. Especially recommended for quick turnaround of lived-in areas.

For indoor use. Cleaning and dilution with water. 0 2,5 | White (72.330) Lilac\* (72.338) Apple\* (72.347) Corn\* (72.331) Lavender\* (72.339) Fern\* (72.348) Mustard\* (72.332) Moon\* (72.341) Magenta\* (72.349) Sand\* (72.333) Stone\* (72.342) Sky blue\* (72.351) Peach\* (72.334) Anthracite\* (72.343) Blue\* (72.352) Linen\* (72.336) Pumpkin\* (72.344) Beige\* (72.337) Pear\* (72.346) Sapphire\* (72.353) Blackberry\* (72.340) Cherry\* (72.355) Strawberry\* (72.354) Vermilion\* (72.345) Cinnamon\* (72.335) Aubergine\* (72.350)

JUNODECO Colour CARD

#### **Sealers**






# FLOOR AND SPORTS FACILITY COATINGS

- $\neg$  One-pack floor coatings
- ¬ Two-pack floor coatings
- ¬ Swimming pool paints
- $\neg$  Line marking for grass and turf




#### One-pack floor coatings



#### Two-pack floor coatings - Water-based

Two-pack water-based floor epoxy primer.



**DYNAPOK** 

**AGUA FLOOR** 

As primer (dilute 30%) for sealing new or consolidated



#### Two-pack floor coatings - Solvent-based



#### Two-pack synthetic floor epoxy primer.

Silane-modified epoxy-polyamide reinforcing primer providing class-leading adhesion on smooth non-porous surfaces, like power-floated concrete and tiles.

Cleaning and dilution with epoxy solvent D-90 (Code 50.010).

Product widely used on concrete floors in industrial and non-industrial settings. Ideal for indoor car parks, laboratories, chemical and pharmaceutical facilities, mechanical workshops, etc. Not recommended for use on asphalt, tar or bitumen treated surfaces.

15 I Clear (48.725)



FLOOR COATINGS Colour CARD


#### Two-pack epoxy floor paint with excellent hardness and adhesion properties.

Ensures effective protection against carbonation of concrete. Resistance to acids, alkalis and solvents, and provides erosion protection to concrete pavements exposed to traffic, chemicals, cleaning systems, etc. For interior use only.

Cleaning and dilution with epoxy solvent D-90 (Code 50.010).

Product widely used on concrete floors in industrial and non-industrial settings. Ideal for indoor car parks, laboratories, chemical and pharmaceutical facilities, mechanical workshops, etc. Not recommended for use on asphalt, tar or bitumen treated surfaces

APPROVAL CERTIFICATES: EPD (Certified with Environmental Product Declaration) - Class 3 anti-slip resistant with added special micro-beads (see page 34).



#### Swimming pool paint



#### Water-based durable, strong and highly flexible paint for swimming pools.

Formulated with pure acrylic resins to resist the destructive effects of swimming pool chemicals. Exclusive use for concrete type swimming pools. Cleaning and dilution with water.

Formulated for use over old or new concrete based swimming pools. Applied by brush, roller or spray, displaying excellent adhesion over sound previously painted surfaces. Also recommended as floor coating for other types of sports facilities and car parks with light

Blue colour is correct for marking disability car parking spaces.

0

0

Blue\* (06,105)

Blue\* (09.180)

#### **PISCICLOR** Satin finish



#### Solvent-based durable, strong and highly flexible paint for swimming pools/milking parlours.

Formulated with chlorinated rubber resins with extraordinary resistance to weathering, chemical damage and discolouration.

Exclusive use for concrete type swimming pools. Cleaning and dilution with chlorinated rubber solvent D-40 (Code 50.000).

Recommended for painting swimming pools and milking parlours, sports facilities and car parks with light traffic. Also recommended as floor coating for other types of sports facilities and car parks with light traffic.

Blue colour is correct for marking disability car parking spaces.

#### Line marking for grass and turf



#### Water-based line marking paint with high hiding power. Not harmful to natural grass.

Formulation based on high quality acrylic copolymers, giving bright white lines.

For interior and exterior use.

Cleaning and dilution with water.


White / Matt finish (62.550)

Junolinea is the ultimate white line marking paint for use on football, rugby, hockey pitches and tennis courts and cricket squares. It is used by top professional clubs and give long lasting brilliant white lines (also used on farms, construction sites, hills/woodland, paths for occasional marking/signposting).

10 I

41


#### INDUSTRIAL AND FLOORING PRODUCTS





#### JUNOPOXI 2/C - SYNTHETIC EPOXY COATING

- Industrial innovative and high-performance products.
- Products for OEM, general maintenance and architectural finishes.
- Coatings for appliances, construction equipment, consumer electronics, automotive accessories, building products and numerous other finished products.



#### DYNAPOK AGUA SUELOS 2/C - WATER-BASED FLOOR COATING

- Perfect for private and public-sector environments.
- Wide range solutions for interior and exterior flooring needs.
- Suitable for warehouses, factories, prisons, schools, car parks, etc.








## TRIM PAINTS


- ¬ Solvent-based enamels
- ¬ Water-based enamels
- □ Decorative & Industrial Tintometric System
- ¬ Primers & Sealers



#### Solvent-based enamels










#### Water-based enamels




### PROTECT AND DECORAT


New water-based trim paint range





#### **Decorative Tintometric System**





JUNOMATIC Tinting System

Satin finish

White base/P (88.872)

Deep base/TR (88.873)


15 I



#### Adhesion and anti-corrosive primers

#### Anti-corrosive synthetic metal primer. Recommended for protecting metal surfaces that require **METALEX** protection against corrosion (except galvanized and Formulated with zinc phosphate and alkyd resins with Matt finish aluminium surfaces). rust inhibiting properties. For indoor and outdoor use. Cleaning and dilution with white spirit D-16 (Code 50.012). 4 I 750 ml White / Matt finish (27.000) **MULTI-SUPPORT** All-purpose synthetic bonding primer. This multipurpose bonding primer can be used as an impregnating and adhesion promoting primer for ferrous Premium quality quick drying multi-use primer based on **PRIMER** and non-ferrous metals, such as steel, aluminium, modified alkyd resins and zinc phosphate acting as anti-Matt finish galvanized surfaces, PVC, glass, tiles and different wood rust pigment for long term protection. materials such as wood panelling and trim (interior). For indoor and outdoor use. APPROVAL CERTIFICATES: Fire retardant to B-s1,d0 standard Cleaning and dilution with quick-drying solvent D-17 (white only) - Certified for JUNO's protective anti-corrosive (Code 50.004). systems as per ISO 12944. $\mathbb{C}3$ B-s1.d0 750 ml 15 I Black\* / Matt finish (27.045) White / Matt finish (27,040) Quick-drying synthetic primer. Recommended for preparing iron surfaces both as WORKSHOP a workshop primer for temporary protection and as **PRIMER** A very quick drying synthetic primer formulated with iron a general purpose primer in fast drying alkyd-based oxides and alkyd resins. systems for protection in mild to medium atmospheric For indoor and outdoor use. corrosive environments. Cleaning and dilution with white spirit D-16 (Code 50.012) 0 750 ml BUILD SE Oxide red\* (22.110) Grey\* (22.111) All purpose waterbased antioxidant adhesion primer. Waterprim offers excellent adhesion on hard to paint WATERPRIM interior and exterior substrates such as glossy surfaces, Formulated with acrylic copolymers and anti-corrosive Matt finish pigments of great durability. Unique in offering anticeramic tiles, non-ferrous metal (such as aluminium, stainless steel and galvanised metal), vinyl, hardboard, corrosive properties. Contains low VOC levels and offers melamine, varnish, plastic, GRP, UPVC, wood, masonry quick drying time. and more. For interior and exterior applications. APPROVAL CERTIFICATES: Meets health related evaluation Cleaning and dilution with water. procedure for emissions of AgBB 2018 - A+ Certified. A+ 4 I 750 ml White / Matt finish (30.006)

#### **Undercoats / Sealers**



28 I



## WOOD

- ¬ Water-based
- ¬ Synthetic



#### Water-based

#### Clear water-based wood preservative/undercoat for Recommended as a sandable undercoat for all kinds of **AQUA BASE** joinery including doors, windows and frames, parquet interior wood. Matt finish and other wood surfaces. Formulated with acrylic resins. Good filling power, easy application, quick drying and For interior use. odourless. Valid treatment for both water based and Cleaning and dilution with water. synthetic topcoats. 41 750 ml Clear / Matt finish (82.414) Special odourless water-based polyurethane varnish Recommended for all types of parquet and wood **AQUA VARNISH** surfaces due to its ease of application. Quick drying, Gloss finish with high resistance to abrasion and easy cleaning. Formulated with single component aliphatic polyurethane Preparation is recommended with Aqua Base undercoat resins, providing a non-yellowing film with a high chemical resistance to wear. (Code 82.414). Product not suitable for oak or chestnut wood due to For indoor use. darkening of the surface treated. Cleaning with water. APPROVAL CERTIFICATES: EPD (Certified with Environmental Product Declaration). 41 750 ml Clear / Gloss finish (82.410) **AQUADUR VARNISH** Special water-based acrylic varnish for carpentry. Recommended for any interior wood surfaces, especially Great hardness and chemical resistance. furniture. Recommended primer: Aqua Base undercoat Gloss finish / Satin finish / Matt finish (Code 82.414). Product not suitable for oak or chestnut Formulated with acrylic resins, which provide a pleasant wood due to darkening of the surface treated. non-yellowing film. APPROVAL CERTIFICATES: EPD (Certified with Environmental For interior use. Product Declaration) - Meets health related evaluation procedure for emissions of AgBB 2018 - A<sup>+</sup> Certified - Fire retardant to Cleaning with water. C-s1,d0 standard. AgBB A+ C-s1,d0 750 ml Clear / Gloss finish (82.480) Clear / Satin finish (82.481) Clear / Matt finish (82.482) LASUR ACUOSO Water-based woodstain with water-repellent Recommended for wooden surfaces exposed to properties. OPEN PORE protector with UV filters and weathering (wooden trim, doors, window frames, Satin finish anti-fungicidal protection. gates, fences, etc.). Does not crack or chip, so it is Formulated with acrylic resins, transparent pigments not necessary to remove old layers before applying successive maintenance coats. For indoor use, and fungicidal preservatives, which form a breathable, preparation is recommended using Aqua Base microporous, elastic, UV resistant film allowing moisture undercoat (Code 82.414). and air to be released. APPROVAL CERTIFICATES: EPD (Certified with Environmental For interior and exterior use (Clear woodstain for interior Product Declaration). use only). Cleaning and dilution with water. 750 ml 41 Clear (82.451) Rustic oak\* (82.463) Rosewood\* (82.466) Chestnut\* (82.460) Walnut\* (82.464) Teak\* (82.467) Iroko\* (82.468) Oregon pine\* (82.461) Mahogany\* (82.465) $\neg \Box \neg$

Oak\* (82.462)



#### **Synthetic**

## **JUNOLAC VARNISH** Gloss finish / Satin finish / Matt finish

#### Synthetic clear varnish with UV filters. Highlights wood's natural tones.

Formulated with alkyd resins and ultraviolet filters for a protective and decorative finish.

For interior use. Gloss finish also for exterior use. Cleaning and dilution with mineral white spirit D-16 (Code 50.012).

Recommended for decorating and protecting wood surfaces such as window frames, doors, trim, furniture,

APPROVAL CERTIFICATES: EPD (Certified with Environmental Product Declaration).

THE INCIDENTIONAL SPONDERS	41	750 ml	375 ml
Clear / Gloss finish (42.037)	•	•	•
Clear / Satin finish (42.038)	•	•	•
Clear / Matt finish (42.039)	•	•	•

#### JUNOTINTE **VARNISH**

Gloss finish



#### Synthetic coloured varnish with UV filters. For colourful and decorative finish.

Formulated with alkyd resins and ultraviolet filters for a protective and decorative finish.

For indoor and outdoor use.

=EDD:

Cleaning and dilution with white spirit D-16 (Code 50.012).

Recommended for decorating and protecting wood surfaces such as window frames, doors, trim, furniture,

APPROVAL CERTIFICATES: EPD (Certified with Environmental Product Declaration).






Pine\* (42.040) Walnut\* (42.041)



Mahogany\* (42.042)





375 ml

750 ml

#### JUNODUR **VARNISH**

Gloss finish / Satin finish



#### Special synthetic polyurethane varnish for parquet. Hardness and resistance to domestic use.

Formulated with urethane resins to obtain a protective, decorative finish, which is pleasant to the touch.

For indoor use.

EDD:

Cleaning and dilution with white spirit D-16 (Code 50.012).

Recommended for restoring and varnishing parquet and wooden floors that require a hard surface which is resistant to domestic use and neutral cleaning products.

APPROVAL CERTIFICATES: EPD (Certified with Environmental Product Declaration).

EPD		
THE HYDRIGADAL BRY DYETTM	41	750 ml
		•••••••••••••••••••••••••••••••••••••••
Clear / Gloss finish (44.001)	•	•
Clear / Satin finish (44.002)	•	•

#### **YACHT VARNISH**

Gloss finish



#### Synthetic high build full gloss varnish with UV filters. Special for harsh weather conditions.

Formulated with alkyd resins of great flexibility and ultraviolet filters for a protective, decorative and highly durable finish of the highest quality.

For interior and exterior use.

Cleaning and dilution with white spirit D-16 (Code 50.012).

Recommended and suitable for hard and softwood subjected to harsh weather conditions humidity, salinity and solar exposure.

Contains UV filters which protect against strong sunlight.

APPROVAL CERTIFICATES: EPD (Certified with Environmental Product Declaration).

EPD"		
THE HYDRACOAL BY CHITIN	41	750 ml
Clear / Gloss finish (42.036)	•	•



## **SUNDRIES**

- **¬ Fillers & Caulk**
- ¬ Colourants, Paint Stripper, additives, etc.
- **¬ Thinners & Cleaners**
- ¬ Colour charts & Fan Decks



#### Fillers & Caulk

JUNO FILLER For preparation work	Shrink & crack resistant filler for interior repairs. Removes small imperfections, grooves, cracks, etc. Theoretical performance: 1 m²/kg/mm thickness. Max. thickness per layer: 5 mm.	White powder. For indoor use. Smooth finish.	
Name of the last		15 kg 5 kg	1 kg
	White (77.000)	• •	•
READY MIX FILLER For repairs	Tintable ready mix repair filler.  Smooth ready to use finish filler with excellent adhesion.  Theoretical performance: 1.75 kg/m²/mm thickness.  Max. thickness per layer: 2 mm.	Ready mix filler that can be coloured universal colourants (max. 3%). For indoor use. Smooth, very fine finish.  5 kg 1 kg	using JUNO 500 gr
usu	White (77.200)	• •	•
SMOOTH FINISH FILLER For finishing	High performance interior finishing filler. For smoothing and levelling walls before painting or wallpapering. Theoretical performance: 1 m²/kg/mm thickness. Max. thickness per layer: 2 mm.	White powder. For indoor use. Smooth finish.	15 kg
u.	White (77.030)		•
SANDABLE FILLER For renovations	Easy-to-sand interior renovation filler. Formulated to mix into a smooth consistency for easy application. Theoretical performance: 0.950 kg/m²/mm thickness.	White, easy-to-sand powder filler. For indoor use. Smooth finish.	
	Max. thickness per layer: 5 mm.		15 kg
	White (77.410)		•
COVER ALL FILLER For renovations	Skimcoat filler for renovations.  Smoothes and levels textured decorative surfaces.  Theoretical performance: 1 m²/kg/mm thickness.  Max. thickness per layer: 5 mm.	White powder with good adhesion. For indoor use. Smooth finish.	
	White (77.406)		15 kg
NTI-CONDENSA- TION PLASTER Thermal insulation	Lightweight light grey plaster in powder form for interior use: smoothening, renewing and filling. Prevents "cold wall effect" and offers thermal and acoustic insulation. Great performance and filling capacity.	Thickness per layer: any thickness. Working time: 2 hours. Practical coverage: 0,6 kg/m² Grey powder. Interior use.	
END-	Excellent adhesion properties.  •		10 kg
New design coming soon	Light grey (77.302)		•
RAPID FILLER For repairs	A quick-set cement filler for repairs.  A high performance quick drying filler for repairs of any masonry surfaces.  For skimming surfaces in fine layers, up to 6 mm.  Theoretical performance: 1.5 kg/m²/mm thickness.	White powder. For indoor/outdoor use. Fine and very hard finish.	
	Max. thickness per layer: 5 mm.	15 kg	5 kg
	White (77.301)	•	•
QUICK DRYING REPAIR MORTAR For repairs	White powder cement mortar specially designed for repairing, filling and rendering exterior surfaces.  Quick set, great filling capacity and excellent adhesion.	Max. thickness/coat: 5 mm for wall; F thickness limit.  Practical coverage: 1,23 Kg/m²  White powder.	or repairs no
MORTERO S	Easy application.	Exterior use.	
			15 kg



#### **MULTIPURPOSE FILLER**

For repairs



#### Powdered mortar for repairing, rebuilding or joining any surface.

Suitable for humid environments such as bathrooms, kitchens, etc. Joins materials of different nature and/or absorption level. Direct application on ceramics.

Theoretical performance: 1 kg/m²/mm. Thickness per layer: any thickness.

White powder.

For indoor/outdoor use.

5 kg

1 kg

Quick-drying.

#### **FIBRE** enriched **FILLER**

For reinforcement



#### Ready to use, flexible, fibre reinforced exterior/interior filler.

For sealing and reinforcing dynamic cracks and fissures on plaster, concrete, etc. Does not crack or split, has high adhesion and permanent elasticity. Can be painted on, except with solvent based 2-component products.

Theoretical performance: 1,2 kg/m²/mm.

Recommended thickness per layer: 0.3 to 3 mm.

Light grey paste. For indoor/outdoor use.

$oldsymbol{\Theta}$	41	750 m
Light grey (77.250)	•	•

#### Colourants, Paint Stripper, additives, etc.

White (77.050)

COLOURANT	Universal concentrated colourant.  For indoor and outdoor use.  Note: Vermilion red and Lemon yellow colourants are for indoor use only.	Recommended for colouring all kinds of paint. The proportion of colourant in the paint should not exceed 3%
DUORANT	• • • • • • • • • • • • • • • • • • •	1 I 100 ml
UVERS.	Lemon yellow* (79.404) Black* (79.400)  Ochre yellow* (79.406) Vermilion red* (79.402)	•
	Blue* (79.401) Oxide red* (79.403) Shadow Brown* (79.407) Green* (79.405)	-
JUNO PAINT STRIPPER	High performance, quick action paint stripper. Formulated with special solvents, free of methylene	Recommended for quickly and conveniently removing most paints, enamels and varnishes.
JUNO	chloride. For indoor and outdoor use.	Its action is based on penetration between the paint film and the substrate, breaking the adhesion between both.
MAS ENCAS		4 l 750 ml 375 ml
	Clear (83.100)	
MISKY-MISKY Fungicidal additive	Fungicidal concentrate to protect decorative finishes from future mould attack.  Formulated with heterocyclics, developing an intense prolonged broad spectrum action against moulds and algae.  Add at least one (100 ml) bottle to 15 litres of paint and stir or shake until product has been distributed and mixed evenly with the paint.	Recommended as an additive to be mixed into emulsion paint, primer, undercoat, varnish, gloss, wallpaper paste, textured paint or tile adhesive to prevent the formation of mould.  NEW 100 ml
	White (79.597)	•
ANTI-SLIP MICROBEADS	Anti-slip microbeads for floor coatings.  Polypropylene microbeads with average diameter of 180 microns to improve the slip resistance of floor surfaces particularly when wet.  Add a 150 gram tub for every 4L of paint, and 4 tubs	This product gives the following product range from JUNO Class 3 Anti-slip rating: Dynapok agua Floor Epoxy (07.1), Dynamol (09.5), Junosol (06.1), Pavimyc (07.8), Junoretano (88.8), and Junopoxi (88.8).

for every 15 L of paint to achieve certified anti-slip

protection.

White (07.250)

150 gr



#### **JUNOCLEAN**



#### JUNOCLEAN cleans interior and exterior mould and mildew stains fast.

Sprayable for easy application. For interior and exterior use. Cleans stains fast end efficiently. Ideal for use on masonry, brick, tiles, vinyl siding, wood, grout or other materials. Also ideal for kitchens, bathrooms and other spaces where organic dirt, mould and humidity is a problem.

Available in larger packs upon request. Ask in-store for more information.

500 ml	
--------	--

Clear (760.180)

#### **Thinners & Cleaners**

		20 l	51	11	500 ml
D-16	Mineral thinner for synthetic products.				
White spirit	Code (50.012)	•	•	•	•
D-17	Thinner for synthetic enamels and primers.				
Quick drying	Code (50.004)	•	•	•	-
D-40	Thinner for chlorinated rubber and pliolite enamels.				
Chlorinated rubber	Code (50.000)	•	•	•	-
D-45	Universal thinner.				
Universal	Code (50.017)	•	•	•	-
D-47	Thinner for professional use (cleaning).				
Multi-purpose	Code (50.019)	•	•	-	-
D-69	Thinner for odourless stain block.				
Odourless	Code (50.073)	•	•	•	-
D-70	Thinner for polyurethane enamels and varnishes.				
Polyurethane	Code (50.007)	•	•	•	-
D-71	Retardant for Polyurethane enamels and varnishes.				
PU Retardant	Code (50.014)	•	•	•	-
D-75	Retardant Thinner.				
Retardant	Code (50.107)	-	•	•	
D-90	Thinner for epoxy enamels.				
Ероху	Code (50.010)	•	•	•	-

#### **Colour Cards**

		1 unit
NCS	NCS 980 - JUNO colour selection fan deck (Code 999.651)	•
RAL	RAL - JUNO colour selection fan deck (Code 999.631)	•
JUNO COMBINA	COMBINA FAN DECK (Code 999.650)	•
	COMBINA COLOUR CARD (Code 999.632)	•
	POS RETAIL COMBINA COLOURS STAND (Code 999.667)	•
EXTERIOR	FAÇADE COLOURS FAN DECK (Code 999.675)	•
FAÇADES	FAÇADE COLOURS COLOUR CARD (Code 999.628)	•
	POS RETAIL FAÇADES COLOUR STAND (Code 999.666)	•
COLOUR	JUNO colour cards	1 unit
CARDS	JUNOKRIL Colour Card (999.630)	•
	BIKRIL / LUNA Colour Card (999.620) JUNOREV CHART (999.626)	•
	JUNOTINTE Colour Card (999.623) FLOOR RANGE (999.635)	•
	LASUR Colour Card (999.624)	•
	JUNOLAC ANTI-OX Colour CARD (999.625)  JUNOPLUS Colour Card (999.627)  WATERPROOFING Colour Card (999.721)  NEW  OXIFORJA Colour Card (999.629)  JUNODECO Colour Card (999.621)	•




# Supplementary products

- ¬ Special exterior coatings
- ¬ Special interior coatings
- ¬ Enamels
- **¬ Sealers and primers**
- ¬ Thinners
- ¬ Varnish
- ¬ Tinting System




#### **Special exterior coatings**

#### **Water-based**



#### Masonry coating





#### **Special interior coating**

A

#### Anti-condensation system



Lightweight light grey plaster in powder form for interior use: smoothening, renewing and filling.

Prevents "cold wall effect" and offers thermal and acoustic insulation.

Great performance and filling capacity.

Excellent adhesion properties.

Light grey (77.302)

Before applying plaster, clean the surface, and remove mould stains using Junoclean (Code 760.180).

Thickness per layer: any thickness.

Working time: 2 hours.

Practical coverage: 0,6 kg/m<sup>2</sup>

Light grey powder.

New design coming soon ANTI-CONDENSATION Matt finish New design coming soon

#### Water-based special anti-condensation paint. With anti-mould protection.

Formulated with acrylic copolymers and glass beads which prevent water condensation and mould growth on its surface.

For indoor use.

Ready to use. Do not dilute.

Specifically designed to significantly reduce condensation on walls and ceilings in humid environments - by preventing condensation mould will not grow.

Ideal for use in bathrooms, kitchens, pantries, north facing rooms with poor insulation, roller shutter boxes, fitted wardrobes, computer rooms, etc. Also ideal for painting cold-water pipes.

APPROVAL CERTIFICATES: EPD (Certified with Environmental Product Declaration) - Conductivity certificate.

CONDUCTIVITY

10 kg

EPD

White / Matt finish (62.650)

750 ml

#### **Specialty Paints**



#### Extra-matt emulsion with added opacity. With antimould protection.

Formulated with acrylic copolymers with extra-matt finish. High quality, no splash application, and excellent levelling properties. Great washability.

For indoor use.

Cleaning and dilution with water.

EPD

Ideal for ceilings, workshops, warehouses, hallways, and large spaces where a completely matted finish is required.

APPROVAL CERTIFICATES: EPD (Certified with Environmental Product Declaration) - Fire retardant to B-s1,d0 standard.

White / Extra Matt finish (72.205)

B-s1.d0 15 I 41

B-s1,d0

#### **B-7 BLACK** Matt finish

JUNO

#### High quality water-based emulsion.

Formulated with acrylic copolymers and selected black pigments that provide a deep black finish. For indoor use.

Cleaning and dilution with water.

Recommended for decorating homes, designer spaces, etc.

Provides excellent hiding power and is very resistant to wet rubbing and scuffing.

Black / Matt finish\* (72.101)

15 I 4 I

#### COVERFIX Matt finish



#### Elastomeric matt paint special for joints and cracks.

Formulated with acrylic copolymers and elastomeric resins for withstanding movements in weak and exposed surfaces such as plaster, gypsum, etc.

Great filling power, and good coverage.

Matt crack-bridging finish that conceals joints and splices. For indoor use.

Cleaning and dilution with water.

Designed to withstand movement on plaster, gypsum and filler surfaces which are prone to cracking with time. Ideal to go over new-builds before handover.

APPROVAL CERTIFICATES: EPD (Certified with Environmental Product Declaration) - Fire retardant to B-s1,d0 standard.

"EPD

15 I White / Matt finish (62.875)



#### Enamels



#### Two-pack water-based polyurethane coating.

Formulated based on polyurethane resins offering hard and resistant surfaces. Excellent levelling and resistance to rubbing. Robust weather resistant finish for exterior use. Good flexibility and easy application.

Quick drying.

Interior and exterior use.

Cleaning and dilution with water.

For use on properly primed wood and metal surfaces. Recommended for all types of surfaces, especially wood carpentry such as kitchens, doors, window trims, skirting boards, etc. and for perfect smooth finishes on walls.

APPROVAL CERTIFICATES: EPD (Certified with Environmental Product Declaration) - Meets health related evaluation procedure for emissions of VOCs AgBB 2018 - A+ Certified - Fire retardant to B-s1,d0 standard.

an B	THE AVENUADOLL SIZE DESTIN	AgBB 😭	HRE RETARDANT B-s1,d0
		15 l	41
	White / Gloss finish (08.310)	•	•
	White / Satin finish (08.315)	•	•

#### **Sealers and primers**

#### **Sealers**



Synthetic matt stain block with special resins.

Cleaning and dilution with Universal thinner D-45 (Code 50.017).

Recommended for all types of surfaces that have damp, grease, nicotine or other stains, or surfaces that have lost their hue. May be used as a quick drying primer for porous substrates or as a sealer/stain blocker. Seals porous surfaces with excellent enamel holdout.

	15 l	41	750 ml
White / Matt finish (21.380)	•	•	•

#### Synthetic primer



#### Economic synthetic primer.

Formulated with alkyd resins and iron oxides providing high opacity.

For indoor and outdoor use.

Cleaning and dilution with quick-drying solvent D-17 (Code 50.004).

Recommended for preparing ferrous surfaces, where an economic paint system is required.

Product subject to availability. Possibility of difference in colour/sheen between production batches.	15 I	41
Grey / Matt finish* (22.119)	•	•



#### **Thinners**

Dilim-Dilim	Cleaner thinner for synthetic products.		
	Product subject to availability.	20 I	51
	Code (50.090)	•	•

#### **Varnish**



Two-pack clear aliphatic polyurethane gloss coating.

Cleaning and dilution with Polyurethane Thinner D-70 (Code 50.007).

For interior and exterior use.

Recommended for facilitating the removal of graffiti by

Other uses: coating indoor concrete floors, coating metal surfaces and for those places where a high quality gloss finish is required.

APPROVAL CERTIFICATES: EPD (Certified with Environmental Product Declaration).



#### **Tinting System**

#### **Colourants for Tinting System**




#### Colourants for JUNO's Tintometric System

#### **Decorative Tintometric System**



#### **Industrial Tintometric System**



JUNOMATIC Tinting System

# Marketed products

- ¬ Intumescent paints
- ☐ Liquid polyurethane membrane




#### **Intumescent paints**

#### Water-based reactive fire protective coating. Recommended for application on beams and open and WIP PROMAPAINT Intumescent paint for fire protection of steel closed metal sections, to provide a delay to the spread of SC3/SC4 structures. fire of 30, 60, 90 or 120 minutes depending on the mass Matt finish and microns applied. Reacts in the presence of and in contact with flames. forming an insulating foam, giving off salts with a fire fighting action. Product ready to use, do not dilute. Cleaning with water. WIP SC3 / White (89.053) SC4 / White (89.054) Water-based insulating intumescent paint, with a **NULLIFIRE** Recommended for application on beams and open, high resistance to fire. closed or gapped metal sections, to provide a delay to Matt finish the spread of fire depending on the mass and microns Reacts in the presence of and in contact with flames, forming an insulating intumescence, giving off salts with a fire fighting action, preventing an easy ignition of combustible materials and delaying the destruction of metal structures, maintaining their mechanical properties. Product ready to use, do not dilute. Cleaning with water.

#### Liquid polyurethane membrane

SC803-90 / White (89.070)



AFITI

25 kg

25 kg

AFITI Applus<sup>®</sup> Sillill



#### More information at www.junopaints.com



PRODUCT INFORMATION
PRODUCT DATA SHEETS
CATALOGUES
SHOP LOCATOR
SUCCESS STORIES





#### PAINT MANUFACTURERS SINCE 1927

Barrio Saconi, 10 - 48950 Erandio (Vizcaya) - Spain
Phone: +34 944 670 062 - Fax: +34 944 675 832
export@juno.es
International website:
www.junopaints.com